


(Clear, Opaque) Inkjet Waterslide Decal Paper

(Clear, Opaque) Inkjet Waterslide Decal Paper that can be used by Deskjet printers, or Inkjet label printers, such as Epson L8058, SurePress Digital Label, Canon iX4000, HP Smart Tank 678, and vinyl cutters or die cutter with edge positioning combination, for all your craft projects. Personalize and customize your project by printing unique designs on our decal paper.

Since Inkjet Waterslide Decal Paper is not waterproof, it needs to be sprayed with **varnish** for protection first after inkjet printing. Then Transfer decals onto ceramics, glass, jade, metal, plastic materials and other hard surfaces. It is specifically designed for the decoration of glass wax candles, glass vases, fashion ceramic cups, toy crafts and other plastic stationery etc.



Products

Clear

Opaque

Code: WS-150

Code: WS-D-300

Size: A4 (210mm X 297mm) - 100 sheets/bag, A3 (297mm X 420mm) - sheets/bag

Inks: dye ink, pigment ink

Printers: Canon、Epson、brother、HP inkjet printers



Advantages

- Compatibility with all inkjet printers
- Good ink absorption, and color retention
- Ideal for print stability, and consistent cutting
- Transfer decals onto ceramics, glass, jade, metal, plastic materials and other hard surface
- Used on curved surfaces and arcs



What can you do for your craft projects ?

Plastic and painted



Ceramic、Glass



Metal



Inkjet Printers

Canon MegaTank



HP Smart Tank



Epson SurePress Digital Label



Step by step: Deskjet Printers and Inkjet Labels for Printing on Crafts

Step 1. Print patterns by inkjet printers



Step 2 . Spraying clear varnish for waterproof



Step 3 .Cut patterns by vinyl cutting plotters.



Step 4. Submerge you pre-cut decal in 45~55°C water for 30-60 seconds or until the middle of the decal paper can easily slide around.



Step 5. Quickly apply it to your clean decal surface then remove the carrier gently behind the decal, squeeze the images and remove the water and bubbles from the decal paper.




Step 6. Let the decal set and dry for at least 48 hours. Don't be exposed to direct sunlight during this time.



Step 7. Spraying clear varnish for better gloss, hardness, scrub resistance if needed



Note: If you want better gloss, hardness, washability, etc., you can use polyurethane varnish, acrylic varnish, or UV-curable varnish to spray coverage protection. It is preferred to spray clear **automotive varnish** to obtain better gloss, hardness, and scrub resistance.



Finishing Recommendations

Material Handling & Storage: conditions of 35-65% Relative Humidity and at a temperature of 10-30°C. Storage of open packages: When an open packages of media is not being used remove the roll or sheets from the printer cover the roll or sheets with a plastic bag to protect it from contaminants, if you are storing it on end, use an end plug and tape down the edge to prevent damage to the edge of the roll do not lay sharp or heavy objects on unprotected rolls and do not stack them.



Alizarin Technologies Inc

Tel: 0086-591-83766293/83766295 Fax: 0086-591-83766292

Add: 901~903, NO.3 building, UNIS SCI-TECH Park, Fuzhou High-Tech Zone, Fujian, China.

WEB: <https://www.alizarinchina.com/inkjet-waterslide-decal-paper-product/>

Middle East & Africa

Ms. Sunny:

e-mail: pro@alizarin.com.cn

WhatsApp: <https://wa.me/8613625096387>

mobile/WeChat: +86 136 2509 6387

North & South America

Mr. Henry:

e-mail: cc@alizarin.com.cn

WhatsApp: <https://wa.me/8613599392619>

mobile/WeChat: +86 13599392619